

Digital Colour Production has evolved.

HIGH VOLUME DIGITAL COLOUR PRODUCTION
imagePRESS C6010

you can

Building on the incredible reputation of its predecessor, the **imagePRESS C6010** is a digital colour press that delivers image quality that looks and feels like offset production. Modular, versatile and featuring even higher print quality, it's designed to deliver an excellent return on investment.

61 PPM A4
EXCEPTIONAL PRINT QUALITY
10,000 SHEET CAPACITY
V-TONER TECHNOLOGY
ADVANCED IN-LINE FINISHING
MODULAR DESIGN



Even higher quality

- Vivid colours and outstanding pin-sharp images that look and feel like offset production.
- Canon's V-toner with its ultra-fine particle size and oil-less fusing characteristics combine with enhanced image control technologies to provide gloss optimisation for an optimal finish on all media.
- 1200 dpi printing with 256 graduations ensures the sharpest lines and text.
- Advanced image control (ARCDAT) and colour toner density stabilizing technology ensure colour consistency helping to gain customer loyalty and repeat orders.

Higher speeds

- Production speeds of 61 ipm (A4) are achieved across all media types up to 135 gsm for faster job turnarounds. Weights up to 325 gsm can also be handled

Maximum Productivity

- Improved productivity on mixed sized and sided print applications such as reports, manuals and brochures.
- Huge 10,000 sheet feeding capacity with up to 8 different sources (60 to 325 gsm) offers at least 8 hours continual run time.
- Extensive in-line finishing capabilities including brochures, perfect bound booklets and reports.

High precision printing

- Intelligent Registration Technology minimises mis-registration for the highest quality documents.
- Advanced Air Feeding Technology for exceptional reliability and maximum uptime.

Innovation

- Advanced Image Transfer Belt allows belt to flexibly adjust to media type for improved print quality.

 **imagePRESS**

Canon

Specifications: imagePRESS C6010

BASIC SPECIFICATIONS	Console 1200dpi x 1200dpi, 256 gradations
Type	Console
Resolution	1200dpi x 1200dpi, 256 gradations
Productivity	
iPR C6010	
	Weight (gsm) Simplex (ppm)
A4	60 to 135 61.7
	136 to 220 53.6
	221 to 325 41.2
A3	60 to 135 33.0
	136 to 150 30.8
	151 to 220 26.8
	221 to 256 23.0
	256 to 325 20.6
SRA3	60 to 135 31.0
	136 to 150 28.8
	151 to 220 25.0
	221 to 256 21.5
	256 to 325 19.2
13"x19"	60 to 135 28.8
	136 to 150 26.8
	151 to 220 23.3
	221 to 256 20.1
	256 to 325 17.9
Registration tolerance	+/- 0.5mm
Paper Sizes	ASR*, A4, A4R, A3, SRA3 (320 x 450mm), 13" x 19" (330.2 x 482.6mm) Free size 182 x 182mm to 330.2 x 487.7mm *Stack bypass (Optional) is required. 60 to 325 gsm
Paper weight	Standard deck: 1,000 sheets x2 drawer (80 gsm)
Paper capacity	10,000 sheets max
Total paper feeding capacity	10,000 sheets max
Total paper finishing capacity	17,000 sheets max
Memory	1.5GB
Hard Disk Drive	80GB x 2
Display	10.4" TFT touchscreen
Interface	Ethernet (100Base-TX/10Base-T), USB2.0
Network Protocols	TCP/IP* (LPD/Port9100/WSD/IPP/PPS/SMB/FTP), IPX/SPX(NDS, Bindery), AppleTalk *IPv4/IPv6 support
Power Supply	400V (3-phase 5-wires), 32A
Power Consumption	6.0KW Max (6010)
Dimensions (W x D x H)	2,586 x 1,152 x 1,040mm (excluding upright panel)
Weight	1,200kg (including Color Image Reader)
PRINT SPECIFICATIONS	
Name	imagePRESS Server A3200/A2200/A1200
Resolution	1200dpi x 1200dpi (Text only), 600dpi x 600dpi
Memory	A3200: 4GB A2200: 3GB A1200: 2GB
Hard Disk	A3200: 250GB x 1, 500GB x 2 A2200: 500GB (250GB x 2) A1200: 250GB
CPU	A3200: Quad Core Xeon X5560 2.8GHz, 6.40GT/s QPI X 2 packages A2200: Core 2 Quad Q9550, 2.83 GHz, 1333MHz FSB, 12MB Cache A1200: Core 2 Quad E9400 2.66GHz, FSB 1333MHz 6MB Cach
Network Protocol	TCP/IP (LPD/Port9100/IPP/SMB/FTP), ATP/DDP(AppleTalk)
Name	imagePRESS CR Server A7000
Resolution	1200dpi x 1200dpi (Text, Line only), 600dpi x 600dpi
Memory	A7000: 2GB
Hard Disk	A7000: 250GB x 1, 250GB x 3
CPU	A7000: Core 2 Q9400 Quad 2.66GHz
DOCUMENT FEEDER SPECIFICATIONS	
Name	Color Image Reader-H1
Paper size	A5, A5R, A4, A4R, A3
Resolution for Reading	600 dpi x 600 dpi
Dimensions (W x D x H)	732 x 595 x 105mm
Weight	17.5kg
Colour Image Reader Name	DADF-R1
Paper size	A5, A4, A4R, A3, Free sizes (182 x 139.7 to 297 x 432mm)
Paper weight	A4, A5: 50 to 216 gsm (Single-sided /double-sided) A3, A4R: 50 to 216 gsm (Single-sided), 50 to 200 gsm (Double-sided)
Max. Number of originals	100 sheets (80 gsm)
Document	
Scanning speed (max)	Copy (Single side): A4 50ipm 600dpi (B&W, Color) Scan (Single side): A4 80 ipm 300dpi (B&W, Color) Copy (Double side): A4 30 ipm 600dpi (B&W, Color) Scan (Double side): A4 40 ipm 300dpi (B&W, Color)
Dimensions (W x D x H)	646 x 570 x 143mm
Weight	22kg

PAPER SUPPLY SPECIFICATIONS	
Paper Deck Unit Name	POD Deck-A1 / Secondary POD Deck-A1
Paper Size	A4, A4R, A3, SRA3 (320x450mm), 13"x19" (330.2 x 482.6mm) Free size 182x182mm to 330.2x487.7mm
Paper Weight	60 to 325 gsm
Paper Type	Thin, Plain, Heavy, Recycled, Colour, Pre-punched, Bond Paper, Labels, Transparency, Tab Paper, Coated, Texture Paper, Vellum
Paper Capacity	4,000 sheets (80 gsm); 1,000 sheet x 2 drawer, 2,000 sheet x 1 drawer
Double feeding detection and Escape tray	Yes (primary POD deck)
Dimensions (W x D x H)	POD Deck-A1 982 mm x 792 mm x 1,095mm POD Deck-A1 + Secondary POD Deck-A1 1,793 mm x 792 mm x 1,095mm
Weight	POD Deck-A1: Approx. 250kg POD Deck-A1 + Secondary POD Deck-A1: Approx. 480 kg
Power	POD Deck-A1: 240V, 6A Secondary POD Deck-A1: 240V, 2.8A
Name	Paper Deck-AC1
Paper Size	A4, A4R, A3, SRA3 (320 x 450mm), 13"x19"(330 x 483mm)
Paper Weight	64 to 300 gsm
Paper Type	Thin, Plain, Heavy, Recycled, Color, Pre-punched, Bond Paper, Transparency, Labels, Coated, Texture Paper, Vellum
Paper Capacity	3,500 sheets (80 gsm)
Dimensions (W x D x H)	601 x 621 x 570 mm
Weight	Approx. 51 kg
Name	Stack Bypass-A1
Paper Size	ASR, A4, A4R, A3, SRA3 (320 x 450mm), 13"x19"(330.2 x 482.6mm)Free size 139.7 x 182mm to 330.2 x 487.7mm
Paper Weight	64 to 256 gsm
Paper Type	Thin, Plain, Heavy, Recycled, Color, Pre-punched, Bond Paper, Transparency, Labels, Tab Paper, Coated, Texture Paper, Vellum
Paper Capacity	100 sheets (80 gsm)
OUTPUT SPECIFICATIONS	
Finisher Name	High Capacity Stacker-C1 (Up to 2 stacker can connect)
Paper size	Stack Tray: A4, A3, SRA3, 13"x19"; Tab Paper (A4), Free size (216 x 182mm to 330.2 x 487.7mm) Output tray: ASR, A4, A4R, A3, SRA3, 13x19", Tab Paper (A4), Free size (139.7 x 182mm to 330.2 x 487.7mm)
Paper weight	Stack Tray: 64 to 300 gsm Output tray: 60 to 325 gsm
Stacking capacity	Stack Tray: 5,000 sheets (80 gsm) Output tray: 1,000 sheets (80 gsm)
Dimensions	860 x 765 x 1,240mm
Weight	Approx. 217kg
Power	240V, 4A
Finisher Name	Finisher-A1 / Saddle Finisher-A12
Number of trays	2 trays
Tray capacity (Non Staple)	Tray A: A4/A4R/ASR 3,000 sheets. A3 1,500 sheets SRA3/13"x19" 1,000 sheets Tray B: A4/A4R 2,000 sheets, A3 1,000 sheets Tray A: A3/A4/A4R 1,000 sheets /100 sets Tray B: A4/A4R 2,000 sheets/100 sets, A3 1,000 sheets/100 sets
Tray capacity (Staple)	
Staple position	Corner, Double, Booklet Stitch (Saddle Finisher-A12 only)
Staple capacity (80 gsm)	A4: 100 sheets, A3/A4R: 50 sheets
Booklet stitch paper size	A3, A4R, SRA3, 13"x19", Free size 210 x 279.4mm to 330.2 x 487.7mm
Booklet stitch paper weight	Inner pages: 60 to 220 gsm Cover: 64 to 300 gsm
Booklet stitch staple capacity	2-25 sheets (80 gsm)
Booklet stacking capacity	30 sets (80 gsm/ 5 sheet)
Dimensions	800 x 792 x 1100mm
Weight	Finisher-A1: Approx. 126kg Saddle Finisher-A12: Approx. 180kg
Power	240V, 8A
Finisher Name	Punch Unit-BC1/BD1 (requires either the Saddle Finisher-A12 or Finisher-A1)
Inner In-line Punch Unit	BC1: 2 holes and 4 holes (FRN) selectable BD1: 4 holes (Swe)
Punch Type	
Acceptable Punch	
Paper Weight	60-200 gsm
Acceptable Punch	
Paper Size	2 holes: A3, A4, 4 holes: A3, A4
Punch hole diameter	6.5mm

Finisher Name	Document Insertion Unit-C1
Numbers of trays	2 trays
Paper Size	Upper Tray: A4, A4R, Free size (182 x 182mm to 297 x 330.2mm) Lower Tray: A4, A4R, A3, SRA3, 13"x19", Free size (182 x 182mm to 330.2 x 487.7mm)
Paper Weight	60 to 300 gsm
Paper Capacity	200 sheets x 2 tray (80 gsm)
Dimensions (W x D x H)	625 x 667 x 213 mm
Weight	Approx. 17kg
Finisher Name	Booklet Trimmer-D1 (requires Saddle Finisher-A12)
Trim Width	One Edge Trimming (Fore-edge) 2-20mm
Trim Thickness	Up to 50 sheets (includes Cover)
Tray capacity	30 sets (80 gsm/ 5 sheet)
Acceptable Paper Weight	60 to 300 gsm
Dimensions (W x D x H)	1575 x 770 x 1040mm
Weight Approx	152kg
Finisher Name	Two-Knife Booklet Trimmer-A1 (requires Booklet Trimmer)
Trim Width	Top and Bottom Edge trim 2-15mm
Trim Thickness	Up to 50 sheets (includes Cover)
Tray capacity	30 sets (80 gsm/ 5 sheet)
Acceptable Paper Weight	536 x 770 x 1040mm
Dimensions (W x D x H)	145kg
Weight Approx.	240V, 2.3A
Power	
Finisher Name	Perfect Binder-B1 (requires Document Insertion Unit-C1)
Booklet size	Width: 203 to 297mm, Length: 138 to 216mm
Booklet thickness	Up to 25mm
Cutting Range	Top/bottom: 13 to 79mm, foreedge: 6.5 to 49.5mm
Body pages	Number of Sheets: 10 to 200 sheets (80 gsm) Sizes: A4, SRA4, Free size (Width: 257 to 320mm, Length: 182 to 228.6mm)
Paper weight	60 to 163 gsm*
Cover	*106 to 163 gsm: up to 10 sheets as inserted paper Number of Sheets: 1 sheet Sizes: A3, SRA3, Free size (Width: 257 to 330.2mm, Length: 364.0 to 487.7mm) Paper weight: 90 to 300 gsm
Tray capacity	Approx. 127mm or total approx. 1,000 sheets of paper as a total
Dimensions	922 x 791 x 1,360mm
Weight	Approx. 316kg
Power	240V, 2.6A
Finisher Name	Professional Puncher-B1
Acceptable Punch	External In-line Punch Unit
Paper Weight	75-216 gsm (Plain paper), Pro Click: 75-176 gsm (Plain paper)
Acceptable Punch	
Paper Size	A4
Punch Tools	Plastic Comb 21-Hole, Twin Loop 23-Hole(Round), Twin Loop 34-Hole(Round), Color Coil 47-Hole, Velo Bind 12-Hole, Loose Leaf 4-Hole Punch, Loose Leaf 2-Hole Punch, Loose Leaf 4-Hole(Swedish), Pro Click 34-Hole
Dimension	305 x 792 x 1040 mm
Weight	Approx. 80kg
Finisher Name:	Professional Puncher Integration Unit-A1
Dimension	Mandatory for Professional Puncher-B1
Weight Approx	250 x 792 x 1040 mm
Power	40kg 240V, 3.1A



Canon Copiers
3 The Forum
Tring Technology Park
Icknield Way
Tring
Hertfordshire HP23 4JX

www.canoncopiers.co.uk
Tel: 08000 822226
Fax: 01442 828811
Email: info@canoncopiers.co.uk

