

Canon

Imaging across networks

iR6000

NEXT GENERATION
DIGITAL SYSTEM

Multifunctional printer/copier

•
Productive 60 prints per minute





Advanced architecture ●

High quality, high speed ●

5.1 GB image memory ●

Additional memory advantages ●

Enhanced ease ●

Improved reliability ●

Powerful paper supply ●

Full, flexible finishing ●

A new era of digital excellence

The iR6000, Canon's next generation digital system, takes multifunctional print management to new levels of efficiency and versatility. Featuring a newly developed iR controller that ensures an improved price/performance ratio, it provides department-wide access to productive printing and copying.

An enhanced image memory and simplified user interface enable easy document creation and delivery direct from the desktop. A unique Copy Job Reservation function increases 'walk-up' performance. While notable advances in reliability, durability, image quality, printing speed, paper capacity and document finishing generate maximum productivity.

By optimizing hardware and software resources, the Canon iR6000 system provides a total solution. Ensuring it fully meets the overall information and document management needs required by the most demanding business environments.



● Advanced architecture

Utilizing expert embedded controller technology, the iR6000 system is designed from the ground up to operate as a truly multi-functional unit - without single concept restraints. Thus the system is simpler to connect, monitor and control, while overall productivity and flexibility are also enhanced.

Chip embedded controller

The high performance iR controller handles all the system's functions seamlessly, managing PDL pages, RIP, network and engine control. The important advantage of this newly designed controller is that it ensures enterprises benefit from an optimum price/performance ratio.

Powerful one-step process

With first generation digital copiers, a two-part process handled the print data flow. However, with the iR6000 system, there is a one-step process where PDL pages are ripped and printed in a single stage, using the same memory. As a result, the system can start printing the moment ripped pages are produced, increasing productivity.



● High quality, high speed

The iR6000 system delivers high image quality, high speed output for departmental printing and copying. This multi-functional role eliminates the need for dedicated machines, reducing investment outlay. It also offers greater flexibility for printing on different paper sizes, complete with finishing.

Maximum 2400 x 600 dpi

A 600 x 600 dpi resolution, with 256 gradation levels, is increased by smoothing to an interpolated 2400 x 600 dpi when printing. This ensures sharp text and clear graphics, capturing every detail without any drop in image quality. Delivering consistently high quality and constant reliability.

Fast 60 ppm output, low FCOT

The output speed of the iR6000 system is a productive 60 prints per minute. Trayless duplexing enables rapid two-sided printing at the same engine speed. Fast processing speeds increase overall productivity during printing. While the FCOT (First Copy Out Time) is reduced to a low 3.8 seconds, to speed up production of single copies made from multi-page originals.

● 5.1 GB image memory

The iR6000 system has a powerful 5.1 GB image memory that offers a variety of time-saving features for printing and copying purposes. These include a Copy Job Reservation capacity, auto imposition for easier booklet creation and a Personal Image Server that enables direct document merging.

Copy Job Reservation

A convenient Copy Job Reservation function allows users to programme up to 5 jobs at a time, when copying. The benefit is that consecutive copy jobs can be set up straight away, without waiting for printing to finish. So there are no more delays and no queues, just pure productivity from start to finish.

Auto imposition

When it comes to creating booklets, auto imposition is an essential feature. The copy memory carries out the imposition so that duplex booklets, complete with V-folds, are always stapled and delivered with pages in the right order. Another useful feature is image rotation, ensuring correct format reduction of A3 sizes to A4.



● Additional memory advantages

Personal Image Server

It's possible to scan and store existing, hard copy documents onto the iR hard disk, using the Personal Image Server. These scanned documents are stored in a personal mailbox and can then be merged with documents processed on a PC. Thus creating a completely new document from two different sources.

100 confidential mailboxes

Up to 100 personal mailboxes can be allocated, each with a private password. This allows users to store all sensitive documents securely - and print multiple documents at a later date, when required. Contents remain confidential, without mixing pages with other output on delivery.

Digital functions

With a wide range of digital functions available, users can customize jobs to suit their precise needs. For example, when copying from books, it is possible to select the facing pages (either left/right or front/back). Other new features include chapter page insertion and a printed photo mode for removing the moiré pattern from printed photos.

● Enhanced ease

Although the iR6000 offers a greatly expanded range of digital printing and copying capabilities, the system has been designed to ensure optimum ease of use. Printing by the remote user interface or by Canon's user-friendly printer driver minimizes manual intervention. While 'walk-up' use has been simplified for easier operation.

Remote User Interface

Handling print jobs direct from a PC is simple, using the browser-based remote user interface. With a range of sophisticated controls available for managing and controlling network* printing, users can check the printer status, submit print jobs, preview jobs, etc. Also an administrator can even prioritize jobs.

New control panel

The newly designed control panel on the iR6000 system offers a simplified user interface. A clear message display guides users step-by-step through every stage of the process, making even the most complex operations easy to handle. Providing enhanced ease - from smooth paper handling right through to flexible finishing.

** An optional Network Multi-PDL Printer Kit A1 is required for network connectivity*



● Improved reliability

Reliability is a key element of the iR6000 system, ensuring consistent and continuous output. This next generation digital system is based on Canon's extensive experience and proven expertise in digital and imaging technology. Complete with the back up of Canon's renowned service coverage.

Durable design

The new, durable hardware design of the iR6000 system ensures reliable operation over a long period - providing maximum machine uptime to protect your investment outlay. Furthermore, the guaranteed drum lifetime is equivalent to the machine lifetime.

Peak load capability

While capable of meeting everyday workloads with ease, the iR6000 system can also handle exceptional peak loads. Thus it maintains the required output during crisis periods, without the unnecessary expense of investing in a machine that far exceeds standard workloads.

● Powerful paper supply

The maximum paper capacity of the iR6000 system is a massive 7,650 sheets, more than enough to handle the most demanding needs. It accepts a wide range of media, for all printing purposes. As well as varying paper sizes from A3 to A5 and paper thicknesses ranging from 64 to 200 g/m².

4,150 sheet standard capacity

The standard paper capacity offers five paper sources for full printing flexibility. Four drawers hold a total of 4,100 sheets (1,500 x 2/550 x 2) plus a stack bypass takes a further 50 sheets for free sizes. Drawers can be individually set for printing, copying, mailbox and other output. All with the possibility of automatic drawer switching to enable limitless printing, without the risk of paper suddenly running out.

Plus 3,500-sheet paper deck

For full production output, an optional 3,500-sheet paper deck is available. Holding A4 paper, it increases overall capacity to 7,650 sheets. In addition, the iR6000 features APS and ADS, ensuring that jobs are always printed with a minimum of manual intervention.



● Full, flexible finishing

When the iR6000 is configured only with an output tray, the image memory allows convenient electronic collation, with cross collated sets. A Finisher F1 is available offering a high output capacity of 2,000 sheets - in sorted, grouped or stapled mode. Up to 50 sheets can be stapled in a single set.

Booklet production

For booklet production, a Saddle Finisher F2 is available. This also has a high capacity of 2,000 sheets, but with the additional capability of producing professional booklets in either A5 or A4 formats - with saddle stitching and V-folding. The finisher takes up to 25 sets in the special booklet output tray.

On-line hole punching

A special hole puncher can be added to either finisher as an extra accessory, for making two holes (European standard)*. Hole punching is possible in A3 and A4 paper, for both portrait and landscape orientation. It's ideal for ring binding purposes - saving time and costs, as more expensive pre-punched paper doesn't have to be loaded in the machine.

** special French and Swedish models (4 holes) are also available*

iR6000 Specifications

Type:	Console type
Copying system:	Laser dry electrostatic transfer system
Platen:	Fixed
Acceptable originals:	Paper sheet, books and three dimensional objects up to 2kg
Maximum original size:	A3
Copy sizes:	<i>Cassette:</i> A5 to A3 <i>Manual:</i> A6 (Postcard) to A3
Scanning Resolution:	600 x 600 dpi / 256 levels
Printing Resolution:	1200 x 600 dpi (Copy), 2400 x 600 dpi (Print)
Zoom:	25% - 400% (1% increments)
Speed:	60/A4, 30/A3 cpm
First copy time:	3.8 sec. approx.
Warm-up time:	6 min or less
Multiple copies:	1 - 999
Dimensions (W x D x H):	643 x 743 x 1136
Weight (kg):	210 kg
Power consumption:	1.5kW or less
Fixing system:	Heat Roller Fixing
Paper:	<i>Cassette:</i> 64 to 90 g/m ² <i>Paper Deck (Drawer):</i> 64 to 200 g/m ² <i>Hand feeding:</i> 64 to 200 g/m ²
Input Paper capacity:	<i>Cassette:</i> 550 sheets x 2 <i>Drawer:</i> 1500 sheets x 2 <i>Multi-hand-feeding:</i> 50 sheets <i>Optional paper deck:</i> 3,500 sheets <i>ADF:</i> 100 sheets / A4
Output Paper Options:	Finisher-F1 (2,000 sheets / A4) Saddle Finisher-F2 (2,000 sheets / A4 + booklet tray) Shift tray-B1 (500 sheets / A4)
Image memory:	128MB RAM + 5.1 GB HDD



Options:

- Finisher-F1 • Saddle Finisher-F2 • Puncher unit-A1,C1,D1 • Shift Tray-B1 • Side Paper Deck-G1 • Control Card • Document tray-C1
- PS/PCL Network o Printer kit-A1

™ All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries.

Canon reserves the right to change specifications without notice.

Canon

Imaging across networks



**Conservation
Partner**

WWF®

Canon Europa NV is a
Corporate Sponsor of WWF

© 1988, WWF-World Wide Fund For Nature (formerly World Wildlife Fund)

Canon Copiers
3 The Forum
Tring Technology Park
Icknield Way
Tring
Hertfordshire HP23 4JX

www.canoncopiers.co.uk
Tel:08000 822226
Fax: 01442 828811
Email: info@canoncopiers.co.uk

English Edition 0017W 924

© Canon Europa N.V., 2000 (1000)